510(k) Summary Radial Head Prosthesis

K992220

Submitter's name:

Smith & Nephew, Inc., Orthopaedic Division

Submitter's address:

1450 Brooks Road, Memphis, TN 38116

Submitter's telephone number:

901/399-5153

Contact person:

Janet Johnson Green

Date summary prepared (amended):

February 1, 2000

Trade or proprietary device name:

Radial Head Prosthesis

Common or usual name: Classification name: Radial Head Implant Title 21 CFR 888.3170

Elbow joint radial (hemi-elbow) prosthesis

Device Class:

Class II

Device Product Code and Panel Code: 87KWI

Panel: Orthopaedics/87

Substantially Equivalent, Legally Marketed Predicate Devices:

Avanta Orthopaedics Radial Head Implant
Swanson Titanium Radial Head Implant
Implex Radial Head Replacement System

Avanta Orthopaedics (K982288)
Wright Medical Technology (K944507)
Implex Corporation (K984290)

Subject device description:

The *Radial Head Prosthesis*, like the predicate devices, includes various sizes of implants to accommodate the requirements of patient anatomy.

Subject device intended use:

The Radial Head Prosthesis is intended for replacement of the proximal end of the radius due to:

- degenerative or post-traumatic disabilities presenting pain, crepitation and decreased motion at the radiohumeral and/or proximal radio-ulnar joint with:
 - joint destruction or subluxation visible on x-ray
 - resistance to conservative treatment
- primary replacement after fracture of the radial head
- symptomatic sequelae after radial head resection

The *Radial Head Prosthesis* is for single use only.

Technolocgical Characteristics:

The Radial Head Prosthesis is similar to legally marketed devices listed above in that all of these devices are indicated for radial head replacement and are similar in technological characteristics. The Radial Head Prosthesis is manufactured from Cobalt-Chrome, ASTM F 90, ISO 5832-5.

DEPARTMENT OF HEALTH & HUMAN SERVICES



FEB 2 5 2000

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

Ms. Janet Johnson Green Manager, Clinical and Regulatory Affairs Smith & Nephew, Inc. 1450 Brooks Road Memphis, Tennessee 38116

Re: K992220

Trade Name: Radial Head Prosthesis

Regulatory Class: II Product Code: KWI Dated: February 7, 2000 Received: February 10, 2000

Dear Ms. Green:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general control provisions of the Act. The general control provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or at (301) 443-6597, or at its Internet address "http://www.fda.gov/cdrh/dsmamain.html".

Sincerely yours,

James E. Dillard III

Acting Director

Division of General and

Restorative Devices

Office of Device Evaluation

Russell Jagan

Center for Devices and

Radiological Health

Enclosure

510(k) Number (if known): <u>K992220</u>

Device Name: Radial Head Prosthesis

Indications for Use:

The Radial Head Prosthesis is intended for replacement of the proximal end of the radius due to degenerative or post-traumatic disabilities presenting pain, crepitation and decreased motion at the radiohumeral and/or proximal radio-ulnar joint involving joint destruction or subluxation visible on x-ray; resistance to conservative treatment; primary replacement after fracture of the radial head; and symptomatic sequelae after radial head resection.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE AS NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)

Division of General Restorative Devices

510(k) Number ____

Prescription Use X (Per 21 CFR 601.109)

OR

Over-The-Counter Use ____